

**भारत सरकार**  
**संघ प्रदेश दमण एवं दीव प्रशासन**  
**उप - प्राचार्य, त.प्र.सं., दिव एवं**  
**कार्यालयाध्यक्ष, औ.प्र.सं. का कार्यालय**  
**औधोगिक प्रशिक्षण संस्थान, घोघला - दीव.**

सं.औ.प्र.सं./दीव/स्टोर/5-2/फिटर ट्रेड/2015-16/ 280

दिनांक :-12 /10/2015

**सिमित निविदा**


भारत के राष्ट्रपति की और से उप - प्राचार्य, त.प्र.सं., दिव एवं कार्यालयाध्यक्ष, औ.प्र.सं.घोघला -दीव द्वारा औधोगिक प्रशिक्षण संस्थान, घोघला - दीव के फिटर ट्रेड के प्रशिक्षण हेतु उपभोज्य / टिकाऊ सामग्रियों की खरीद के लिये मुहरबंद लिफाफे में सिमित निविदा आमंत्रित किया जाता है।

क्रम सं.	पूर्ण विवरण के साथ वस्तु का नाम	आवश्यक मात्रा
01	02	03
01.	फिटर ट्रेड के प्रशिक्षण हेतु उपभोज्य / टिकाऊ सामग्रियों की सूचि इस के साथ संलग्न किया गया हैं ।	संलग्न सुचि के मुताबिक

निबंधन और शर्तें :-

1. निविदा शिलबंध लिफाफे में होनी चाहिये और उनके उपर फिटर ट्रेड के प्रशिक्षण हेतु उपभोज्य / टिकाऊ सामग्रियों की आपूर्ति के लिये निविदा लिखा होना चाहिये।
2. निवेदित दरे केवल इस औधोगिक प्रशिक्षण संस्थान, घोघला - दीव में सामग्री की सुपर्दगी के लिये होनी चाहिये। बहारी आपूर्ति कर्ता सिर्फ उना तक रेल भाडा सहित दरे बतायें और उन्हें उना से इस औधोगिक प्रशिक्षण संस्थान, घोघला - दीव तक सामग्री लाने में परिवहन व्यय खुद को वहन करना होगा। पेकिंग, प्रेषण और बीमा इत्यादि के लिए निवेदित दर पर कोई अतिरिक्त शुल्क का भुगतान नहीं किया जायेगा। उक्त शर्तों की पुष्टि न करने वाले निविदायें मोटे तौर पर रद्द / अमान्य कर दि जाएंगी।
3. निवेदित दर निविदा खुलने की तिथि से छे ( 6 ) महिने तक की अवधि के लिये मान्य एवं जारी रहेने चाहिये।
4. निवेदित दर सभी करों को जोडकर होने चाहिये। केवल उन्हीं सामग्रियों पर बिक्रीकर का भुगतान किया जाएगा जिन पर बिक्रीकर अधिनियम के तहत कर देय हो। " डी " फॉर्म के लिये 4% की दर से केद्रीय बिक्रीकर (सी.एस.टी.) भुगतान किया जाएगा।
5. उपरी मुजब केवल अनुसूचि में उल्लिखित सामग्रियों की आपूर्ति के लिये ही दर बतायें और यह दर दिये गये विशेष विवरण / मार्क / विनिर्माण वाली सामग्रियों के लिये ही होनी चाहिये। विशिष्ट विवरण / मार्क / विनिर्माण की समकक्षता के संबंघ में अधोहस्ताक्षरी का निर्णय अंतिम होगा।
6. निम्नमान/स्तर वाले या आदेश में उल्लिखित किये गये विशिष्ट विवरण से अलग किस्म की और / या अपुर्ण या टुटी हुई सामग्रियों की आपूर्ति स्वीकार नहीं की जायेगी। आपूर्तिकर्ता को उसे बदलना पड़ेगा और अस्वीकृत सामग्रियों को अपने खर्चें एवं जवाबदारी पर वापस ले जाना होगा। किसी प्रकार के विवाद के मामले में, अधोहस्ताक्षरी का निर्णय अंतिम होगा और आपूर्तिकर्ता उसे मानने को बाध्य होंगे।
7. किसी भी प्रकार का अग्रिम भुगतान नहीं किया जाएगा और नहीं बैंक के जरिये पूर्ति के दस्तावेज भेजने की शर्तें स्वीकृत की जायेगी और राशि का भुगतान सभी वस्तुएं / सामग्री प्राप्त होने के बाद एवं जेसेही बील पास होगा तब किया जायेगा।

8. दर सुची सिमित निवेदा औधोगिक प्रशिक्षण संस्थान, घोघला - दीव के कार्यालय में दिनांक:- 22.10.2015 को सुबह 11.00 बजे तक स्वीकार किया जायेगा और संभव होने पर प्राप्त सभी दर सुची ( सिमित निवेदा) उसी दिन सुबह 12.00 बजे खोली जायेगी।
9. सफल निवेदा देने वाले को पूर्ति / कार्य के आदेश की तिथि से 15 दिनों के भीतर सामग्री की आपूर्ति / पूर्ति करनी होगी।
10. किसी भी यां सभी दर सुचियों सिमित निवेदा को आंशिक या पूर्ण रूप से बिना कोई कारण बताये स्वीकार या अस्वीकार करने का अधिकार अघोहस्ताक्षरी / समाहर्ता, दीव के पास सुरक्षित हैं।
11. बिल दो प्रतियों में प्रस्तुत किया जाए और मूल बिल पर एक रूपये का राजस्व टिकिट चिपका होना चाहिये।
12. किसी भी सिमित निवेदा में भूल - सुधार / अधिलेखन पाया गया तो वह सिमित निवेदा अस्वीकृती के पात्रदायी होगी।
13. निवेदाकार जो राशि / भाव निवेदामें बताये वह वैधानिक और स्पष्ट होने चाहिये।
14. निवेदाकार अपने निवेदामें भूल - सुधार एवं अधिलेखन ना करें और अर्थहिन भाव न बताये।
15. निवेदाकार सिमित निवेदा उचित एवं सावधानि के साथ भरें।
16. निवेदाकार सिमित निवेदा की वस्तुओं में व्यवहार करता होना चाहिये।
17. निवेदाकार बिक्रीकर / वेट विभाग में पंजीकृत होना चाहिये।
18. निवेदाकार सिमित निवेदा के साथ उपरोक्त दशॉयी गई सामग्री के नमुने अथवा केटलोग जहा जरूरी हो वहा प्रस्तुत करें।
19. निवेदाकार को निवेदा के साथ अमानत रूप में कुल निवेदा राशि का 2.5% या न्युनतम रु.6,250/- रुपया उप - प्राचार्य, त.प्र.सं., दिव एवं कार्यालयाध्यक्ष, औधोगिक प्रशिक्षण संस्थान, घोघला - दीव के पक्ष में किसी भी राष्ट्रीयकृत बैंक से जारी जमा रसीद संलग्न करना होगा।
20. सिमित निवेदा [www.diu.gov.in](http://www.diu.gov.in) / [www.daman.nic.in](http://www.daman.nic.in) या [www.diu.nic.in](http://www.diu.nic.in) पर उपल्ब्ध हैं।

  
(एम. बी. कामलिया)

उप - प्राचार्य,

त.प्र.सं. दिव एवं कार्यालयाध्यक्ष,

औ.प्र.सं. घोघला - दीव

LIST OF TOOLS & EQUIPMENTS WITH MACHINARIES AS PER SEMESTER SYSTEM.

General Machinery Installations:-

Sl. No.	Name & Description of Machines	Quantity																								
1.	<p><b><u>LATHE MACHINE:-</u></b></p> <p><b>Lathe all geared head stock S.S. and S.C. height of centre over bed 16.5 cm :-</b></p> <table border="1"> <tr> <td>Bed length</td> <td>2100 mm (7")</td> <td>Spindle speed Range</td> <td>40 to 950 RPM</td> </tr> <tr> <td>Width of bed</td> <td>235 mm</td> <td>Taper in spindle</td> <td>MT -5</td> </tr> <tr> <td>Height of Center</td> <td>165 mm</td> <td>Threading Range MM</td> <td>0.5 to 6 mm</td> </tr> <tr> <td>Max.Admit between Center</td> <td>1140 mm</td> <td>Threading Range inch</td> <td>4 to 45TPI</td> </tr> <tr> <td>Swing over cross slid</td> <td>190 mm</td> <td>Approx.floor space L x B x H</td> <td>2000 x 850 x 1300</td> </tr> <tr> <td>Spindle speed nos</td> <td>8 nos</td> <td>Approx Weight nett-Gross Kg</td> <td>550/750</td> </tr> </table> <p>Gap head complete with accessories e.g. pump, all fittings and splash guard driving plate with drives, face plate. 3 jaw and 4 jaw chucks .fixed and travelling steady compound turret tool post, taper turning attachment, fixed and running centres, driving dogs straight and bent tails. Dead Center -2nos. Revolving Center 02nos. change gear set for inch &amp; MM <b>With foundation installation &amp; demonstration. ISO, ISI Company Require. &amp; Ac motor 3 Phase. 1440 RPM 2 (TWO) HP electrical motor "V" belt with pulley.</b></p>	Bed length	2100 mm (7")	Spindle speed Range	40 to 950 RPM	Width of bed	235 mm	Taper in spindle	MT -5	Height of Center	165 mm	Threading Range MM	0.5 to 6 mm	Max.Admit between Center	1140 mm	Threading Range inch	4 to 45TPI	Swing over cross slid	190 mm	Approx.floor space L x B x H	2000 x 850 x 1300	Spindle speed nos	8 nos	Approx Weight nett-Gross Kg	550/750	1 No.
Bed length	2100 mm (7")	Spindle speed Range	40 to 950 RPM																							
Width of bed	235 mm	Taper in spindle	MT -5																							
Height of Center	165 mm	Threading Range MM	0.5 to 6 mm																							
Max.Admit between Center	1140 mm	Threading Range inch	4 to 45TPI																							
Swing over cross slid	190 mm	Approx.floor space L x B x H	2000 x 850 x 1300																							
Spindle speed nos	8 nos	Approx Weight nett-Gross Kg	550/750																							
2	<p><b><u>DRILL MACHINE:-</u></b></p> <p>Drilling machine pillar sensitive 0-20 mm cap with swivel table motorised .</p> <table border="1"> <tr> <td>Drilling capacity in M.S steel</td> <td>20mm</td> <td>Spindle speed nos</td> <td>8 nos mini 154- max 1880</td> </tr> <tr> <td>Spindle center to Column</td> <td>254 mms</td> <td>Size of table square</td> <td>355 mm (14"x14")</td> </tr> <tr> <td>Spindle nose bore</td> <td>3 M.T.</td> <td>Max Distance Spindale to base</td> <td>1000mm (40")</td> </tr> <tr> <td>Motor R.P.M.</td> <td>1400</td> <td>Column diameter</td> <td>90 mm</td> </tr> </table> <p><b>With foundation installation &amp; demonstration. ISO ISI Company Require. &amp; 1.5 HP electrical Ac 3 phase motor "V" belt. Drill chuck with key, chuck arbors, drill slave, drill socket.</b></p>	Drilling capacity in M.S steel	20mm	Spindle speed nos	8 nos mini 154- max 1880	Spindle center to Column	254 mms	Size of table square	355 mm (14"x14")	Spindle nose bore	3 M.T.	Max Distance Spindale to base	1000mm (40")	Motor R.P.M.	1400	Column diameter	90 mm	1 no.								
Drilling capacity in M.S steel	20mm	Spindle speed nos	8 nos mini 154- max 1880																							
Spindle center to Column	254 mms	Size of table square	355 mm (14"x14")																							
Spindle nose bore	3 M.T.	Max Distance Spindale to base	1000mm (40")																							
Motor R.P.M.	1400	Column diameter	90 mm																							
3	<p><b><u>FORGE PORTABLE HAND BLOWER:-</u></b></p> <p>Forge portable hand blower 38 cm to 45 cm. standard company. <b>With foundation installation &amp; demonstration.</b></p>	1no.																								
4	<p><b><u>PEDESTAL GRINDING MACHINE:-</u></b></p> <p>Grinding machine (General purpose) D.E. pedestal with 20 cm. dia wheels rough and smooth with twist drill grinding attachment. <b>With foundation installation &amp; demonstration, ISO ISI Company Require. &amp; 1 HP Ac electrical 3 phase motor.</b></p>	1 no.																								
5	<p><b><u>POWER HACKSAW MACHINE HYDRAULIC SYSTEM:-</u></b></p> <p>Power hacksaw machine hydraulic system <b>With foundation installation &amp; demonstration &amp; 1.5 HP Ac electrical 3 phase motor.</b> with standard accessories mechanical coolant pump, motor pulley, starter plate, length gauge belts guards, flexible coolant pipe. v- belts blade, Hydraulic oil, bar stand, three speed gear box. <b>ISO ISI Company Require.</b></p> <table border="1"> <tr> <td>Cap of round bar</td> <td>250 mm</td> <td>Length</td> <td>1150 mm</td> </tr> <tr> <td>Cap of square bar</td> <td>200 mm</td> <td>wind</td> <td>625 mm</td> </tr> <tr> <td>Stroke</td> <td>140</td> <td>High</td> <td>1000 mm</td> </tr> <tr> <td>Stroke per min (approx)</td> <td>85-100</td> <td>Weight (approx)</td> <td>450kg</td> </tr> <tr> <td>Blade size</td> <td>14"-16"</td> <td>V- belt Required</td> <td>4 pcs.</td> </tr> <tr> <td>Electric motor</td> <td>2 HP</td> <td>RPM of motor</td> <td>1440</td> </tr> </table>	Cap of round bar	250 mm	Length	1150 mm	Cap of square bar	200 mm	wind	625 mm	Stroke	140	High	1000 mm	Stroke per min (approx)	85-100	Weight (approx)	450kg	Blade size	14"-16"	V- belt Required	4 pcs.	Electric motor	2 HP	RPM of motor	1440	1.no.
Cap of round bar	250 mm	Length	1150 mm																							
Cap of square bar	200 mm	wind	625 mm																							
Stroke	140	High	1000 mm																							
Stroke per min (approx)	85-100	Weight (approx)	450kg																							
Blade size	14"-16"	V- belt Required	4 pcs.																							
Electric motor	2 HP	RPM of motor	1440																							

\*\*\*All Items is standard and ISI Certified Company

The conditions mentioned in limited tender notice are accepted and binding on Me/Us.

Signature of Supplier / Tenders with stamp  
Address:-

ay